

Dependent Resurvey of Portion of Subdivisional Lines of T. 1 S., R. 9 W.

Chains 66.80	Branch, 3 lks. wide, course NW.; desc. 42 ft. along N. slope.																								
67.85	Leave old burned area, edge bears NW. and SE.; enter heavy old growth timber and light undergrowth.																								
68.32	Spring branch, 1 lk. wide, course N. 10° W.; asc. 56 ft. over NE. slope.																								
70.70	Top of ascent, slopes N.; desc. 120 ft. along N. slope, changing to NW. slope.																								
75.05	Head of ravine, drains N. 20° W.; desc. 12 ft. along N. slope.																								
76.48	<p>The cor. of secs. 14 and 23, on the E. bdy. of sec. 22, determined at record distance from each of the original bearing trees:</p> <p style="padding-left: 40px;">A hemlock, 35 ins. diam., bears N. 17° E., 56 lks. dist., with scribe marks T1S R BT visible on overgrowth of opened blaze and partially rotted face. (Record bearing, N. 19° E.)</p> <p style="padding-left: 40px;">A rotted hemlock stump, 30 ins. diam., bears S. 59° E., 30 lks. dist., with no scribe marks remaining. (Record bearing, S. 71½° E.)</p> <p>At the corner point</p> <p>Set an iron post, 28 ins. long, 2½ ins. diam., 24 ins. in the ground, with brass cap mkd.</p> <div style="text-align: center; margin: 10px 0;"> <table style="margin: auto;"> <tr><td>T</td><td>1</td><td>S</td><td>R</td><td>9</td><td>W</td></tr> <tr><td>S</td><td>22</td><td> </td><td>S</td><td>14</td><td></td></tr> <tr><td></td><td></td><td></td><td>S</td><td>23</td><td></td></tr> <tr><td colspan="6">1958</td></tr> </table> </div> <p>from which new bearing trees:</p> <p style="padding-left: 40px;">A spruce, 57 ins. diam., bears N. 23° E., 106 lks. dist., mkd. T1S R9W S14 BT.</p> <p style="padding-left: 40px;">A hemlock, 27 ins. diam., bears S. 29¼° E., 53 lks. dist., mkd. T1S R9W S23 BT.</p> <p>From this point the ¼ sec. cor. of sec. 22 only, on the E. bdy. of sec. 22, bears S. 1° 29' W., 36.94 chs. dist., perpetuated and recorded by the County Surveyor in 1918, at record bearing and distance from the original SE. bearing tree which is no longer in existence, monumented with an iron pipe, 2 ins. diam., protruding 2 ins. above ground, firmly set.</p> <p>Land, mountainous. Soil, rocky clay. Timber, spruce, hemlock, fir, alder, cascara, and maple; undergrowth, salal, salmonberry, vine maple, huckleberry, and reproduction.</p>	T	1	S	R	9	W	S	22		S	14					S	23		1958					
T	1	S	R	9	W																				
S	22		S	14																					
			S	23																					
1958																									
	N. 10° 56' W., along the W. bdy. of sec. 14.																								
	Descend 107 ft. over steep N. slope, through heavy timber and dense undergrowth.																								
2.10	<p>The cor. of secs. 15 and 22 on the W. bdy. of sec. 14, monumented with a washed basalt boulder, 84 x 84 x 40 ins., above ground, marked with a cross at the cor. point, with 3 grooves on S. and 4 grooves on W. face, from which the remaining original Snowden bearing trees:</p> <p style="padding-left: 40px;">A hemlock, 55 ins. diam., bears S. 30° W., 113½ lks. dist., with no scribe marks visible on rotted blaze. (Record, S. 35° W.)</p>																								