

Township 1 North, Range 10 West

2. 1/16 corner 4 tallies north 1/4 corner 11/12 T. 1 N., R. 10 W. By proportional measurement and on a true line between the 1/4 corner 11/12 and section corner 2 1 T. 1 N., R. 10 W. Drove an iron pipe at corner. This corner established by LFCo. Scribed following trees:

30" Hemlock S 80 deg. E. 20.4' 1/16 S 12 B.T. Yellow tag  
15" " N 76 " W. 7.0' 1/16 S 11 B.T.

Set square post at corner. Aspect west at corner.  
Scribed by E. Erickson  
Witnessed by O. B. Jackmond  
August 4, 1950

August 4, 1950

3. 1/4 corner 11/12 T. 1 North, Range 10 West. At 1/4 corner 11/12 T. 1 North, Range 10 West. Found 1 original B.T. at corner. From field notes set an iron pipe at corner and scribed the following trees:

12" Hemlock N 55 deg. W. 23.0' 1/4 S 11 B.T.  
40" " N 57 " E. 21.1' 1/4 S 12 B.T.

Yellow tag set S 55 deg. E. 9.2' on orig. Hem. B.T.  
Scribed by O. R. Miller  
Witnesses: E. Erickson  
Wm. Jordan  
O. B. Jackmond  
July 18, 1950

See reference 2. 1/16 corner 4 tallies north of 1/4 cor. 11/12 T. 1N R 10 W. This corner had been previously established by the LFCo. in 1950 and was since lost in 1951 during road construction. Restored this corner to its original position by proportional measurement. This corner located on west edge of LFCo. road. Did not mark the position of the corner but referenced as follows:

25" Hemlock N 12° E 35.1' 1/16 S 12 B.T. 2 Y. tags  
30" " S 25 W 50.4' 1/16 S 11 B.T. Y. tag

Corner sets 15' W of log road. Scribed by O. R. Miller of LFCo.  
Witnesses O. B. Jackmond  
Jim Rodgers

Var. 21° 00' August 24, 1951

1/16th corner 4 tallies south 1/4 corner 11/12 T. 1 N R 10 W. We established the 1/16 corner midway between the 1/4 cor. 11/12 and the Section corner 11 12 T. 1 N 14 13 R. 10 W and set a 1" boiler tube for 1/16th corner and scribed the following trees:

A 30" hemlock S 57° E 16.7' (1/16 S 12 B.T.)  
A 32" " N 40° W 38.8 (1/16 S 11 B.T.) Y.T.

Scribed by Ed. Erickson.  
Witnessed by O. B. Jackmond. 8-10-50

Surveying 1 Section, Tract 10 West  
(see reference 2)

Section 12

- 5. 1/16 corner A tallies north of 1/4 corner 11/12 T. 1 N., R. 10 W. This corner had been previously established by the LPOs. in 1950 and was since lost in 1951 during road construction. Restored this corner to its original position by proportional measurement. This corner located on west edge of LPOs. road. Did not mark the position of the corner but referenced as follows:

28° backlook N 12° E 35.1 1/16 S 12 E.T. 2 Y. tags  
 30° " S 25 W 30.4 1/16 S 11 E.T. 1 Y.

Cor. was 15' W of log road.

Recorded by O. R. Miller of LPOs.  
 Witness: C. E. Jackson  
 Jim Rodgers

Var. 11° 00'

August 24, 1951

- 6. 1/16 corner A tallies north of 1/4 corner 11/12 T. 1 N R 10 W. We established the 1/16th corner midway between the 1/4 corner 11/12 and the section corner 11 12 14 13 T. 1 N R 10 W and set a 1" boiler tube for 1/16th corner and scribed the following trees:

A 30° backlook S 57° E 16.7' (1/16 S 12 E.T.)  
 A 32° " N 40° W 38.8 (1/16 S 11 E.T.) Yellow tag.

Scribed by Ed. Erickson  
 Witnessed by C. E. Jackson, 11-10-51

14 13  
 Sec. corner. No find no stake or pipe at this corner.

Present: O. R. Miller, Ed. Erickson,  
 Mr. Jordan, C. E. Jackson

July 19, 1952

SEE PAGE-3

Township 1 North, Range 10 West

Section 11

1. 1/16 corner 4 tallies north 1/4 corner 11/12 Township 1 North, Range 10 West. By proportional measurement and on a true line between the 1/4 corner 11/12 and section corner 2 1 T. 1 North, Range 10 West. Drove an iron pipe at corner. This corner established by LFCo. Scribed the following trees:

30" Hemlock S 80 deg. E. 20.4' 1/16 S 12 B.T. Yellow tag  
12" " N 78 " W. 7.0 1/16 S 11 B.T.

Set squared post at corner. Aspect west at corner.

Scribed: E. Erickson  
Witness: O. B. Jackmond  
August 4, 1950

2. 1/4 corner 11/12 T. 1 North, Range 10 W. At 1/4 corner 11/12 Township 1 North, Range 10 West found 1 original B.T. at corner from field notes set an iron pipe at corner and scribed following trees:

12" hemlock N 55 deg. W. 25.0' 1/4 S 11 B.T.  
40" " N 37 " E. 21.1 1/4 S 12 B.T.

Yellow tag set S 55 deg. E. 9.2 on original Hem. B.T.

Scribed by O. R. Miller  
Witnesses: E. Erickson  
Wm. Jordan  
O. B. Jackmond  
July 18, 1950

3. Section corner 2 1 T. 1 North, Range 10 West. Found hemlock B.T. and spruce B.T. Section corner 2 1 Spruce B.T. did not agree for bearing as recorded in original field notes. Also found an iron pipe at corner set by unknown. Scribed following trees:

36" spruce N 75 deg. W. 31.3' S 2 B.T. Yellow tag.  
30" Hemlock S 2 " E. 24.3 S 12 B.T.  
36" Spruce S 25 " W. 38.0 S 11 B.T.

Scribed by O. R. Miller LFCo.  
Witnesses: Ed. Erickson  
O. B. Jackmond  
Wm. Jordan

July 18, 1950

BOOK 3

BOOK 3