BEFORE THE BOARD OF COUNTY COMMISSIONERS

FOR TILLAMOOK COUNTY, OREGON

In the Matter of a Sole Source Procurement of MicroCoat™ High-Performance Pavement Preservation Product from Blue Line Road Products Through and Applied by Sierra Santa Fe ORDER #20-<u>のろそ</u>

This matter came before the Tillamook County Board of Commissioners on July 22, 2020 at the request of Chris Laity, Director of Public Works. The Board of Commissioners being fully apprised of the representations of the above-named person finds as follows:

)

)

1. Under ORS 279B.075(2), the determination of a sole source must be based on written findings that may include:

(a) That the efficient utilization of existing goods requires acquiring compatible goods or services;

(b) That the goods or services required to exchange software or data with other public or private agencies are available from only one source;(c) That the goods or services are for use in a pilot or an experimental project; or

(d) Other findings that support the conclusion that the goods or services are available from only one source.

- 2. The Tillamook County Department of Public Works has determined that the MicroCoat[™] Surface Sealant product is only available from Blue Line Road Products and that Sierra Santa Fe is the only Manufacturer Certified Applicator.
- 3. This product will preserve the pavement conditions of portions of Sand Lake Road, a county road.

NOW, THEREFORE, IT IS HEREBY ORDERED THAT:

- 4. The proposed purchase of MicroCoat[™] High-Performance Pavement Preservation Product from Blue Line Road Products through and applied by Sierra Santa Fe is hereby authorized as a sole source procurement as allowed by ORS 279B.075.
- //

11

- ...
- //
- ${\it I}{\it I}$

DATED THIS 22nd day of July, 2020.

THE BOARD OF COMMISSIONERS FOR TILLAMOOK COUNTY, OREGON

Bill Butl

Bill Baertlein, Chair

Vice-Chair Marv Faith Be

David Yamamoto, Commissioner

ATTEST: Tassi O'Neil County Clerk

By: **Special Deputy**

 Aye
 Nay
 Abstain/Absent

 ✓
 _____/____

 ✓
 _____/____

 ✓
 _____/____

 ✓
 _____/____

 ✓
 _____/____

 ✓
 _____/____

APPROVED AS TO FORM:

Stevens, County Counsel





Name / Address

Tillamook Co Public Works Chris Laity, P.E., PWD 503 Marolf Loop Tillamook, OR 97141

Proposal

Date

6/30/2020

RECEIVED

JUL 0 7 2020

TILLAMOOK COUNTY ROAD DEPT

		Project
WA. Lic# SIERRSF033MM / OR. CCB# 144238		Sandlake Rd / 2020
Description		Total
PLEASE NOTE: Sierra Santa Fe Corporation is a manufacturers certified applicator for Micro	Coat TM Products.	
MicroCoat [™] approx 132,973 sq yds on Sandlake Rd (7.60 mi), as per Chris Laity, PWD. Ple map for greater detail, maps are not to scale & should be used for reference purposes only. Mi of applying 1 layer at a finished application rate of approx 0.26 to 0.27 gals per sq yd, approx gallons of MicroCoat [™] product will be used. MicroCoat [™] will be applied by a computerized Mastic Truck & / or a computerized MicroCoat [™] Mastic Buggy throughout project.	croCoat™ consist total of 35,600	
SSF will also apply approx 29 tons of Earthbind Prime Coat to the roadways, prior to the appl MicroCoat TM . EarthBind Prime Coat will be applied at an application rate of approx 0.05 gals		
Roadway preparations shall be preformed by Tillamook County Road Dept, which includes pa pre-leveling, crack filling (if needed), sweeping, cleaning, covering of monuments and all re-st after MicroCoat TM is completed. Tillamook County Road Dept will perform all Flagging, Sign Control during EarthBind Prime Coat and the MicroCoat TM process. SSF anticipates 2 to 3 lor EarthBind Prime Coat application and 5 days for the MicroCoat TM application. SSF will suppl kubota UTV & 1 stick-n-stomp machine to place TPM's prior to MicroCoat TM . Please Note that County will need to supply 1 laborer to assist SSF laborers with the application of the TPM's. County will supply all Traffic Control during the application of the TPM's.	triping of Roadways age and Traffic ng days for the y 2 laborers, 1 at Tillamook	
TERMS: Net 10 Days		
Move in (1 move in for EB Prime Coat & 1 move in for MicroCoat [™]): equipment move in & freight for MicroCoat [™] & EarthBind. Stick-n-Stomp Machine w/ Kubota UTV & 2 SSF Laborers (Tillamook Co Supplies 1 Laborer). Apply EarthBind Prime Coat to approx 132,973 sq yds on Sandlake Rd (7.60 mi). (Before MicroCoat [™]). MicroCoat [™] approx 132,973 sq yds on Sandlake Rd (7.60 mi)		19,147.00 12,230.00 17,287.00 162,226.00
Authorized signature of proposer.		
By signature, customer authorizes the proposer to complete the work as outlined above	-	
	Subtotal	\$210,890.00
	Sales Tax (0	. 0%) \$ 0.00
	Total	\$210,890.00

